

417

Township N^o 4. South of Range. & 1st 3. West of the 2nd Mer.

East Boundary

South On Range line. East Boundary of Sec. 1 T4 N. 3 W.

40.00 Put quarter sec post, from which a W Oak 10 in^t diam. bears S 10 E 18 lks dist; & a do 9 in
 " " N 2 W 27 " "

80.00 Set post corner of Sec. 1. & 12 T4 S. R 3 W from which a W Oak 38 in^t diam. bears S 32 E 22 lks dist; & a do 36 " " " N 23 E 19 "
 " Land tolerably level soil middling timber Oak, Dogwood &c.

South On Range line. East boundary of Sec. 12 T4 S. R 3

40.00 Put quarter sec post, from which a W Oak 9 in^t diam. bears S 61 W 28 lks dist; & a do 7 in
 " " N 61 E 18 " "

69.00 a Run 6 lks wide; course S. E.

80.00 Put post corner of Sec. 12 & 13 T4 N 3 W from which a W Oak 9 in^t diam. bears N 52 E 10 lks dist; & 13 Oak 18 " " " S 46 W 17 "
 " Land hilly, soil middling quality; Timber Oak, Hickory, Dogwood & Buck.

South On Range line, East Boundary of Sec 13 T4 S. R. 3 W.

40.00 Put quarter sec post from which a Buck 18 in^t diam. bears N 30 W 25 lks dist; & a B Oak 22 " "
 " " S 30 E 24 " "

80.00 Put post corner of Sec. 13, & 24 T4 S. R. 3 W. from which a W Oak 14 in^t diam. bears S 66 W 6 lks dist; & do 10 in " " " N 84 E 10 "
 " " Land hilly; middling soil; Timber Oak, Buck, Poplar, Dogwood &c.

South On Range line. East Boundary of Sec 24 T4 N. 3

40.00 Put quarter sec post, from which a W Oak 16 in^t diam. bears S 72 E 36 lks dist; & a Buck 10 " "
 " " N 79 W 34 " "

T. N^o 4 S. R. N^o 3 W. 2nd Mer.

76.00	Land hilly middling soil, Timber Oak, Beech, Dogwoods &c
80.00	Put first corner of Sect. 24 & 25 T. 4. S. R. 3 W. from which a Buck 10 int. diam. bears N 4 W 8 lks dist; & a Do 10 " " " S 58 E 2 lks dist; Buck bottom, good soil.
South	On Range line, East Boundary of Sect. 25 T. 4 S. R. 3 W.
7.00	a Creek 130 lks wide; Course W. Buck, Bottom
40.00	Set quarter Sec. post, from which a Buck 10 int. diam. bears N 54 W 24 lks dist; & a W Oak 10 " " " S 71 E. 21. " "
43.00	To post corner of survey where a Buck 8 int. diam. bears S 56 E 14 lks dist; & a Do 7 " " " S 88 W 12 " " Poor steep stony hills Timber Oak, Beech, &c
* For E. boundaries of Secs. 25 & 36 See end of the Township	
South	On East line of Range 4 T. 4 and do at the corner of Sect. 13 & 24
25.75	a Poplar 30 int. diam. in the line.
40.00	Set quarter Sec. post, from which a Buck 18 int. diam. bears N 72 E. 22 lks dist; and a Do 12 " " " S 45 E. 32 " "
70.50	a Buck 10 int. diam. in the line.
80.00	Set a post corner to Sect. 24 & 25 from which a Buck 10 int. diam. bears N 62 E 31 lks dist; and a Do 12. " " " S 72 E 22. " " The North 1/2 of this mile is poor hilly land; The South half is rich and level land; Timber Beech, Poplar, & some Oak Undergrowth Spruce.
South	On the East line of Range 4 T. 4 Set corner of Sect. 24 & 25
16.50	a Gum 18 int. diam. in the line.
40.00	Set quarter Sec. post from which a Buck, 8 int. diam. bears N 20 E. 14 lks dist; & an Elmwood 4 " "

T. N^o 4 S. R. N^o 3 West 2nd Mer

bears S 42 E. 12 kys dist;

80.00 Set post corner to Sect. 25 & 36 T. 4 N. R. 3 W from which a Buck 8 in. diam. bears S 42 E. 37 kys dist; & one other Buck 6 " " " S 14 W 16 " " : This mile is all Buck bottom suitable for madders. Spice is the undergrowth.

South On the East line of Range 4 Town 4 and at the Corner of Sect. 25 & 36.

40.00 Set quarter Sec post from which a Buck 10 in. diam. bears N 67 W 10 kys dist; & a Buck 4 " " " N 66 E 28 " "

45.30 a Buck 18 in. diam. in the line

60.75 " " " " " "

80.10 Intersected the Base line 116 kys West of the 6th mile post set post corner to Sect 36 S E corner of T. 4 and Range 4 West from which a Buck 10 in. diam. bears N 42 E. 21 kys distant; and a Buck 11 in. diam. bears N 74 W 37 kys dist; This mile R^o rate level; rich land; Timber Buck, Poplar, & Sugar tree & undergrowth is spice.

Subdivisions

South Return Sect. 25 & 26.

18.00 Intersected the South line of the Vincennes tract

40.00 Set quarter Sec post from which a W Oak 20 in. diam. bears S 20 W 19 kys dist; and a Buck 12 " " " N 65 E. 15 " "

49.00 a Buck 20 in. diam. in line

80.00 Set post corner of Sect. 25, 26, 35, 36 from which a W Oak 12 in. diam. bears S 11 W 15 kys dist; & an Ash 8 " " " S 80 E 25 " " This mile is good soil tho' hilly and rocky - Timber Oak & Buck.

South Return Sect. 35 & 36 T. 4 N. R. 3 W

T. N^o 4 S. R. N^o 3 M. 2nd Mer.

- 4000 Set quarter Sec post from a Sugar tree 8 in^t diam.
 bears N 41 W. 37 links dist and a Buck 12 in^t diam.
 ~ N 62 E 21 ~ ~
 76.00 Intersected the Bau line 2 ch^t East of the R^t mile
 post set a post corner to Sect. 35 & 36 from which
 an Oak 8 in^t diam. bears N 38 E 19 links dist; & a
 Logwood 4 ~ ~ ~ N 64 W 15 ~ ~
 This mile is rich rolling land; Timber Buck. &
 Poplar. Undergrowth is Spice.

- South Between Sect. 22 & 23 T. 4. R. 4 Sept. 10. 1805
 74.00 Intersected the South line of the Vincennes Tract.
 80.00 Set post corner of Sect. 22, 23, 26, 27 from which a
 Buck 8 in^t diam. bears N 64 E 32 links dist; & a
 W Oak 18 ~ ~ ~ N 24 W 28 ~ ~
 This mile is hilly poor land; Timber Bt W Oak and
 some Buck, Logwood and Sassafras

- South Between Sect. 26. & 27 T. 4. R. 3 M.
 26.00 A Buck 6 in^t diam. in line.
 40.00 Set quarter Sec post from which a Buck 6 in^t diam.
 bears N 30 E. 44 links dist; & a Do 5 ~ ~
 ~ N 30 E. 50 ~ ~ ~
 41.55 To a Branch of Andersons River 1 chain wide runs W
 50.00 A Buck 8 in^t diam. in line;
 80.00 Set post corner to Sect. 26, 27, 34, 35 from which a
 Buck 10 in^t diam. bears N 33 E. 39 links dist; & a
 W Oak 18 ~ ~ ~ N 53 E 18 ~ ~ This
 mile is chiefly all rich bottom - Timber Buck,
 Oak, & Poplar; Undergrowth is Spice.

- South Between Sect. 34 & 35 T. 4. R. 3 M.
 77.5 a Poplar 48 in^t diam. in the line
 40.00 Set quarter Sec post from which a Buck 12 in^t diam.
 bears N 40 E. 15 links dist and a W Oak 14 ~ ~
 ~ N 74 E 15 ~ ~ ~

T. N. 4 S. R. N. 3 W. 2nd Mer

75.80 Intersected the Base line 84 links East of the 2nd Mile post. Set a post corner to Sect. 34 & 35 from which a W Oak 18 in. diam. bears S 80 E 26 links dist; & a Buck 5 " " " N 25 E. 25 " " This mile is poor hilly land; Timber Oak, & Dogwoods

September 12. 1805

South Return Sect. 21. & 22

47.14 Intersected the South line of the Vincennes Tract.

54.00 A Buck 18 in. diam. in the line.

80.00 Set a post corner to Sect. 21, 22, 27, 28 from which a Buck 8 in. diam. bears N 36 W 13 links dist; & a Sugar tree 5 " " " N 11 W 16 " " This mile is rolling and rich land; Timber Buck, Poplar, & Oak; Undergrowth is Spice.

South Return Sect. 27, & 28. T. 4 S. R. 3 W.

33.75 A W Oak 18 in. diam. in line.

40.00 Set quarter Sec post from which a Buck 24 in. diam. bears N 37 W 20 lks dist; and a L. 12 " " " N 44 E 38 " " "

50.50 A Buck 14 in. diam. in the line.

80.00 Set post corner to Sect. 27, 28, 33, 34, from which a W. Oak 9 in. diam. bears S 40 W 15 lks dist; and a L. 11 " " " N 58 E 35 " " This mile is rolling 2nd rate land; Timber Buck & Oak; under growth. Dogwoods & Spice.

South Return Sect. 33, & 34 T. 4 S. R. 3 W.

17.75 A Poplar 36 in. diam. in the line

40.00 Set quarter Sec post from which an Oak 28 in. diam. bears N 47 W 24 links dist; and a Buck 8 " " " N 11 E. 31 " " ;

60.75 To Branch of Andersons river 75 links wide; and runs S. W.

70.00 A Poplar 48 in. diam. in line;

T^h No 4 S. R. No 3rd M. 2nd Mv.

- 72.50 To a branch of Andersons River 90 links wide and runs S.E.
- 75.10 Intersected the Base line at 106 lks East of 3rd Mile post; Set post corner to Sects 33, 34 from which a Mulberry 14 in^t diam. bears N50 E. 31 lks dist; & a Buck 14 " " " N24 W 26 " " This mile is part rich bottom; the remaining part Rich, high lands; Timber Buck & Oak.
-
- South Return Sects 20 & 21
- 23.71 Intersected the South line of the Vincennes tract.
- 35.74 a Gum 24 in^t diam. in line
- 40.00 Set quarter Sec. post from which a — bears N13W 40 links dist; & a W Oak 18 in^t diam. bears N42 E 24 " " "
- 80.00 Set a post corner to Sects 20, 21, 28, 29 from which a Buck 10 in^t diam. bears N36 E. 14 lks distant & a H^o 24 " " " N52 E. 23 " " " This mile is hilly land good soil, timber Buck & Oak; undergrowth is Spice
-
- South Return Sects 28, & 29
- 24.00 a Poplar 48 in^t diam.
- 40.00 Set quarter Sec post from which a W Oak 11 in^t diam. bears N31 E. 19 links dist; and a Logwood 4 in^t " " N83 W 16 " " "
- 63.00 a Hickory 36 in^t diam. in line.
- 80.00 Set a post corner to Sects 28, 29, 32, 33 from which a B Oak 28 in^t diam. bears N10 E 20 lks dist; & a W Oak 18 " " " N30 E. 31 " " " This mile is hilly poor land; B & W Oak Timber; Undergrowth Bass afras and Logwood.
-
- South Return Sects 32 & 33. T^h 2nd M 3rd M.
- 15.00 a Poplar 38 in^t diam. in line.
- 40.00 Set quarter Sec post from which a W Oak 18 in^t diam.

T. No 4 S. R. No 3 M 2nd Div.

76.45 bears N 64 W 25 links distant: W Oak 18 in. S 60 W 25 lks
 Intersected the Base line 71 links west of the post.
 Set post corner to Sect. 32 & 33 from which a Buck
 18 in. diam. bears N 20 E 36 links dist; & a W Oak
 16 " " " N 13 W 26 " " This mile
 is hilly poor land; Timber Oak; Logwood and
 er growth.

South Return Sect. 17 & 18 T. 4. R. 3 M.

40.00 Intersected the South line of the Vincennes tract
 where no post was set; Set a post from which a Buck
 15 in. diam. bears N 41 E 18 links dist; & a " "
 18 " " " N 25 E 7 " " The above
 post is corner to Sect. 17, 18, 19, 20. The land of the
 above half mile is hilly but good soil; Timber Buck
 Oak & Undergrowth is Spruce.

South Return Sect. 19 & 20

40.00 Set quarter sec. post from which a Poplar 18 in. diam.
 bears N 46 E. 28 links dist; & a Sweet Gum 18 " "
 " " " N 70 W 9 " "

80.00 Set a post corner to Sect. 19, 20, 29, 30 from which
 a Buck 14 in. diam. bears N 11 E 26 lks dist; & a
 Gum 18 " " " N 45 W 48 " " This mile
 is poor hilly land; Timber W & B Oak, some Poplar,
 undergrowth is Logwood and Sassafras.

South Return Sect. 29 & 30 T. 4. R. 3 M.

40.00 Set quarter sec. post from which a Buck 6 in. diam.
 bears N 76 W 9 lks dist; and a Gum 16 " "
 " " " N 54 W 31 " "

40.34 a W Oak 24 in. diam. in line

52.40 a Branch 10 lks wide; Course N.W.

57.00 To the same Branch 25 links wide; runs S.E.

58.50 To the same Branch 3 " " " " " " " " " "

76.50 a W Oak 18 in. diam.

T. No 4 S. R. No 3

of the post; Set a post corner to Sect. 18, 19 from which a W Oak 18 in. diam. bears S 21 E. 25 links dist; & a Hickory 20. " " " N 60 E. 6 " This mile is poor hill land; Timber W. & W Oak, undergrowth Sassafras and Dogwood.

West Between Sect. 19. & 30 T. 4 N. R. 3 W
40.00 Set quarter Sec. post from which a Buck 4 in. diam. bears N 64 W 7 lks dist; & a Sugar tree 12 " " " S 33 E 16 " "
86.00 Set a post 2 ch. South of the post corner to Sect. 19. & 30 on the West line of Range 3 under T 4 from which a " 6 in. diam. N 75 E. 19 links dist; & a Buck 5 " " South 10 " "
The West half mile is rich bottom, timber Buck & Oak undergrowth Spruce; The East half is hilly poor land; Timber W. & W Oak.

East Random line between Sect. 20. & 29. T. 4 N. R. 3 W
78.01 Intersected the line 2 links North of the Post.
This mile is poor hilly land; Timber W. & W. Oak & some Buck.

West Corrected the line between Sect. 20 & 29
39.00 Set quarter Sec. post from which a W Oak 6 in. diam. bears S 7 E. 20 links dist; and a Hickory 5 in. diam. " " " N 7 W 8 " "

East Between Sect. 21. & 28 T. 4 N. R. 3 W
81.50 Struck post This mile is hilly poor land; Timber W. & W Oak, undergrowth is Dogwood and Sassafras.

West Blazed the line West between Sect. 21. & 28.
40.50 Set quarter Sec. post from which a Gum 6 in. diam. bears S 3 E. 14 lks dist; & a W Oak 4 in. diam. bears N 73 W 28 lks dist;

T. N^o 4. S. R. N^o 3M 2nd Mer.

East 80.50	On Random line between Sect. 22, & 27. T4 NR 3M Intersected the line 2 ch ^t and 40 links south of the post. This mile is hilly lands, good soil, Timber Buck, Oak, & Undergrowth is Spice and Dogwood.
West 40.00	Corrected the line between Sect. 22, & 27 Set quarter sec post from which a Buck 11 in ^t diam. bears S25 E. 22 links dist; and a Wicket 4 u u " N18 E 21 u u :
East 17.50	Between Sect. 23 & 26. T4 NR 3M To the South line of the Vincennes Tract; There 17.50 ch ^t is good lands; Timber Buck, and Oak Undergrowth is Spice.
West 25.00 30.00 40.00 84.00	Nov. 1. 1805 Between Sect. 30 & 31. T4 NR 3M. To a Branch of Andersons River 12 links wide; runs N. AM Oak 18 in ^t diam ^t in line. Set quarter sec post from which a Sugar tree 12 in ^t diam ^t bears N14 E 11 lks dist; & a Buck 12 u " " S26 E. 28 u u Struck the post from which a Buck 8 in ^t diam. bears N12 W 13 lks dist; and a Do 10 u u " S45 E 33. u u This mile is rich rolling & level lands; Timber Oak, Sugar & Buck. Undergrowth is Spice:
East 79.50	On Random between Sect. 29. & 32. T4 NR 3. Intersected the line 70 links north of the post This mile is hilly poor lands; Timber B. & W Oak Undergrowth is Sassafras and Dogwood.
West 39.75	Corrected the line between Sect. 29. & 32 Set quarter sec post from which a Buck 11 in ^t diam ^t bears N35 W 38 links dist; & a Wicket 3 u

T. N. 4 S. R. N. 3 W. Q. 40 (Mn.)

diam. bears S 20 E 4 links dist;

East 81.00	On a Random line between Sect. 28, & 33. Intersected the line 90 links South of the post; this mile is broken lands; but good soil; Timber B. Oak, B. Oak & W. Oak; undergrowth is Spice.
West 40.50	Corrected between Sect. 28. & 33 Set quarter Sec. post from which a W. Oak 18 in. diam. bears S 60 W 12 links dist; and a Buck 5 " " " " N 30 E. 18 " " "
East 39.00 80.20	On a Random line bet. Sect. 27 & 34 To a Branch of Andersons River 50 lbs. more, W. Struck 150 links South of the post. This mile is chiefly all rich soil land; Timber B. & W. Oak; Undergrowth Dogwoods & Spice.
West 40.10	Corrected the line between Sect. 27 & 34 Set quarter Sec. post from which a Buck 18 in. diam. bears N 25 W 10 lbs and a Buck 9 " " " " S 55 E 33 " "
East 80.00	On Random line between Sect. 26 & 35 T4. R. 3 W. Intersected the line 2 ch. South of the post: This mile all hilly & rich lands; Timber Oak, & Buck, undergrowth is Spice.
West 40.00	Corrected the line between Sect. 26 & 35 T4. R. 3 W. Set quarter Sect. post from which a Buck 18 in. diam. bears N 14 W 14 lbs dist; and a Buck 18 in. diam. " " S 70 E. 8 " " "
East 79.80	On Random line between Sect. 25 & 36 T4. R. 3 W. Intersected the East line of Range 3 T4 2 ch. North of post, Bents corner: Set a post corner to Sect.

T. N. 4 S. R. No 3 W 2nd Mer.

25 + 36 from which a Buck 11 in^d diam^t. bears
 159 W 26 E's dist; and a Buck 8 " " "
 N 65 W 60 " " This mile is rich hilly land
 Timber W + B Oak, & some Buck: undergrowth
 Spice & Dogwoods.

West
 39.90 Corrected the line between Sect 25 + 36
 Set quarter sec post from which a Buck 18 in^d
 diam^t. bears N 66 E 21 E's dist; & a Do 14 "
 " " N 10 W 7 " "

South
 10.33 Between Sect 5 + 6 T4 SR 3W
 A Sugar tree 14 in^d diam^t. hill lands.
 20.79 A Maple 16 " "
 40.00 Put half sec. post, from which a Buck 17 in^d diam^t.
 bears North 14 E's dist; and a Do 4 " "
 " S 10 E 11 " "
 60.00 Intend Buck bottom.
 67.00 A Oak 130 links wide, course 160 W Bottom timber
 all blown down
 76.83 A Sugar tree 10 in^d diam^t.
 79.00 A Oak 60 E's wide; course W.
 80.00 Put post corner of Sect 5, 6, 7, 8. T4 SR 3W. from
 which an Elm 24 in^d diam^t. N 28 W 18 E's dist;
 & a Water Buck 6 " " S 15 E 13 " "
 crossed the points of hill; Timber all down Bluffs

South
 Between Sect 7 + 8 T4 SR 3W.
 15.89 A B Oak 13 in^d diam^t.
 23.33 A Buck 18 in^d " "
 40.00 Put quarter sec post, from which a Gum 17 in^d diam^t.
 bears S 58 E. 15 E's dist; & a Jack Oak 13 " "
 " N 52 W 29 " "
 44.23 A Buck 16 in^d diam^t.
 68.00 A Oak 6 links wide course West Good soil of
 lands but very broken.

T. N. 4. S. R. N. 3 W 2nd (Mn.)

15.00	a Buck 18 in. diam.
26.00	a Creek 140 lbs wide; Course N.
40.00	Put quarter Sec post where a W Oak 12 in. diam. bears N 63 W 33 lbs dist; + a Buck 20 a
	" N 63 E 4 " " " Buck bottom
63.50	a Creek 25 links wide; Course West, Good hills.
80.00	Put Post corner to Sect. 3, 4, 9, 10 from which a W Oak 13 in. diam. bears N 77 W 16 lbs dist; a do 12 a " " " S 65 E. 3 a " " rough along hill lands; poor soil Oak timber.
East	On Random between Sect. 3 + 10. T. 4 S. R. 3 W.
27.50	a Brook 20 lbs wide, Course N.
80.00	Put temporary post - land on this side rough hill- ly and poor; Timber Oak, Hickory and Logwood
West	Between Sect. 2 + 3 T. 4 S. R. 3 W
4.39	W Oak 16 in. diam.
22.50	a Run 6 lbs wide, Course N.
30.53	W Oak 20 in. diam.
36.00	Stop hill land
38.50	a Creek 50 lbs wide, Course N.
40.00	Put quarter Sec post from which a Maple 7 in. diam. bears S 71 W 21 lbs dist; + a Buck 28 a
	" " " N 60 E 7 " " "
43.00	a Brook 20 lbs wide, Course N.
50.00	Bottom Good soil.
80.00	Sett 6 lbs south of temporary post, put post corner to Sect. 2, 3, 10, 11 T. 4 S. R. 3 W from which a W Oak 11 in. diam. bears S 74 E 36 links dist; + a do 12 a " " " S 46 W 15 " " "
	Middling soil of hill land. Timber Oak, Logwood
East	On Random line between Sect. 2 + 11 T. 4 S. R. 3 W
4.00	a Run 10 links wide Course N.
25.00	Top of steep high hill; poor soil.

T. N^o 4 S. R. N^o 3 W. 2nd Mer.

80.00 Post post corner to Sect 1, 2, 11, 12 T4 SR 3W. This mile very hilly, land generally poor; Timber Oak, Hickory, Logwood &c

South Between Sect 1 & 2 T4 SR 3W

1.55 a W Oak 16 in² diam.

11.70 a B Oak 22 in² diam.

35.50 a Hain 7 linkz wide, Course W

40.00 Post quarter Sec post where a Poplar 18 in² diam. bears N4E 53 linkz dist; & a W Oak 26 in

" N4W 16 " "

72.66 a Buck 16 in² diam.

80.00 Fell 25 linkz North and 48 East of Temporary post here set post corner of Sect 1, 2, 11, 12 T4 SR 3W from which a W Oak 16 in² diam. bears S5W 21 linkz dist. & a do 14 " " " N56E. 44 " " This mile land hilly soil much timber as before.

East A Random line between Sect 1 & 12 T4 SR 3W.

80.23 Intersected Range line 20 linkz North of post, corner of T4 SR 3W. Land good and tolerably level timber Oak, Hickory, Logwood.

West Corrected the line between Sect 1 & 12 T4 SR 3W.

Post half Section post where a B Oak 17 in² diam. bears N28W 19 linkz dist; & a W Oak 24 in² diam. bears N87E. 53. " "

South Between Sect 11 & 12 T4 SR 3W.

28.27 a B Oak 14 in² diam.

40.00 Post quarter Sec. post from which a W Oak 12 in² diam. bears S69W. 13 linkz dist; & a Buck 16 " "

" N61E. 32 " "

41.66 a Jack Oak 16 in² diam.

50.00 a Run 12 linkz wide, Course N10E.

73.00 a Brook 25 " " Course S20W.

T. No 4. S. R. No 3 N 2nd^o Run

80.00 Put post corner of Sect. 11, 12, 13, 14 Sand broken
Soil muddling, Timber Oak, Buck, and Dogwoods.

Corrected Return 2 & 11 T 4 N R 3 N.

Put quarter Sec post from which a Poplar 36 in^t
diam. S 7 E - 39 lks dist; & a B. Oak 18 "
" N 56 W 34 " "

Smith Between Sect. 10. & 11 T 4 N R 3 N.

10.00 a Brook 10 lks mid, Course N 10 E.

40.00 Put quarter Sec post where a W Oak 16 in^t diam. bears
N 18 W 33 lks dist; & a Poplar 10 " " "
S 5 E. 27 " "

51.50 a B. Oak 24 in^t diam.

72.45 a W Oak 16 " "

80.00 Put post corner of Sect. 10, 11, 14, 15, T 4 N R 3 N
from which a W. Oak 13 in^t diam. bears N 67 E 27
lks dist; & a Do. 14 " " " S 63 W 28
Sand hilly, Soil muddling; Timber Oak, Hickory &
Dogwoods.

Corrected the line between Sect. 3 & 10 T 4 N R 3 N
from which a Sycamore 16 in^t diam. bears N 36 E. 27 lks
dist; and a Hick. 4 " " " S 33 W 7 "

" Nov. C. 1804

Met Between Sect. 4 & 9 T 4 N R 3 N

8.50 a Brook 16 lks mid, Course N. W.

28.00 a Drain 6 " " " "

80.30 Intersected A. & S. line 40 lks North of post cor
of Sect. 4, 5, 8, 9 T 4 N R 3 N. Good hill land.
Buck, Oak, Poplar &c.

Met Between Sect. 5 & 8 T 4 N R 3 N

60.00 Sand hilly Soil not very good.

78.00 a Brook 40 lks, Course N. W.

T N^o 4. S. R. N^o 3 N. 2nd M.

79.84	Intersected N. & S. line 24 links south of post. Good bottom land; Timber Oak, Buck &c.
	Corrected the line between Sect. 5. & 8. T4 R3 N. Put half sec post where a Buck 10 in ^d diam ^r bears N70 W 51 links dist; also 42 " " " S65 E. 31 " "
	Corrected the line bet. Sect. 14. & 9 T4 R3 N. Put half sec post where a Elm 8 in ^d diam ^r bears East 18 links dist; & a Sugar tree 10 " " " S78 W 27 " "
South	Between Sect. 8. & 9 T4 R3 N.
2.80	At Oak 16 in ^d diam ^r .
40.00	Put quarter sec post, from which, a R. Oak. 30 in ^d diam ^r bears N46 E 9 links dist; & W Oak 14 " " " S61 W 34 " "
53.75	At Oak 11 in ^d diam ^r .
68.50	At Brook 20 links wide, Corner West
80.00	Put post corner of Sect. 8, 9, 16, 17. T4 R3 N. where a W Oak 16 in ^d diam ^r bears S85 E 25 links dist; & a R. Oak 24 " " " S33 W 23 " " Moderate ridges, middling soil, Timber Oak, Hicky Hogwoods &c
West	On Random line between Sect. 8 & 17 T4 R3 N.
80.65	Intersected North of South line 16 links south of post. Corner to Sect. 7, 8, 17, 18. Rough hill land, poor soil, Timber Oak, & Hicky.
West	Between Sect. 7. & 18 T4 R3 N.
5.00	Meads of small run, Corner N70 W.
40.00	Put quarter sec post where a W Oak 10 in ^d diam ^r bears S51 W 16 links dist; and a No 9 " " " N26 E 6 " "

T. N. 4. S. R. N. 3. W 2nd Mer.

86.00	Intersected Range line 21 miles North of post cor. to Sect. 12. & 13. T4 R3 W. New set post from which a Buck 7 in ² diam. bears S50 W10 like dist; and a do 6 " " " N61 E10 " " " This mile steps points of hills; Timber Oak, Buck, &c
South	Return Sect. 17. & 18 T4 R3 W.
14.46	A W Oak 14 in ² diam.
28.16	A Buck 18 " "
38.50	A Brook 18 like mile; Course S.W.
40.00	Put quarter Sec post, where a Buck 30 in ² diam. bears N63 E. 12 like dist; & a do 9 " " " N63 W 20. " "
40.60	A Creek 20 like mile; Course S.W.
47.35	A W Oak 14 in ² diam.
80.00	Intersected Indian Boundary line; at post corner of Sect. 17 & 18 T4 R3 W where a W. Oak 10 in ² diam. bears S87 E. 44 like dist; & a do 14 " " " " N81 W33 " " East half mile hilly bro- ken land; Timber Oak, Hick, &c
	Corrected the line between Sect. 8 & 17 T4 R3 W. Put post quarter section where a Gum 8 in ² diam. bears S85 W 28 like dist; and a Hick 13 " " " N81 E. 32 " "
South	Return Sect. 16. & 17 T4 R3 W.
6.80	A Poplar 20 in ² diam.
21.50	A Hick 18 " "
40.00	Put half section post where a R. Oak 14 in ² diam. bears S50 E. 12 like dist; & do 10 " " " " N22 W13 " " Step poor hill land; Oak Timber.
80.00	Put post cor. sec of Sect. 16, 17, 20, 21. T4 R3 W where a W Oak 12 in ² diam. bears S70 W 4 like dist & a, A Buck 10 " " " N34 E 21 " "

T. N. 4. S. R. N. 3M 2nd (New)

This mile hilly poor soil, steep; Timber Oak, & Hickory

East Return Sect. 9. & 16 T. 4. S. R. 3M

13.00 a Brook 20 links wide, house N.W.

55.00 Seed Open white Oak Woods, good soil.

80.00 Set temporary post; poor hill lands; Timber Oak &c
Nov. 7. 1804.

South Return Sect. 9. & 10. T. 4. S. R. 3M.

40.00 Put quarter Sec. post, from which a Elm. 14 in. diam. bears S 27 E 20 links dist; & a W Oak. 16 in. diam. bears N 12 W 8 u u

40.55 a W Oak 14 in. diam.

49.79 a Buck 12 u u

80.00 Fell 20 links West of Temporary post; here put post cor of Sect. 9, 10, 15, 16. T. 4. S. R. 3M where a G. Oak 9 in. diam. bears S 69 E 25 lks dist; and a W. Oak 14 u u N 71 W 31 u u High hill lands, poor soil; Timber Oak. Hickory &c.

East Return Sect. 10. & 15 T. 4. S. R. 3M.

80.11 Intersected N & S line 10 links South of post, corner to Sect. 10, 11, 14, 15 Lands hilly, middling soil, Oak, Timber

Corrected between 9 & 16. T. 4. S. R. 3M. put quarter Sec. post where a W Oak 12 in. diam. bears S 39 W 3 lks dist; and a do 13 u u u N 36 W 36 u

Corrected between 10. & 15 T. 4. S. R. 3M put half Sec. post from which a W. Oak 8 in. diam. bears N 85 E. 11 lks dist; and a do 13 u u u S 87 W 14 u

South Return Sect. 14. & 15 T. 4. S. R. 3M.

8.59 a W Oak 40 in. diam.

18.00 a B. Oak 18 u u

40.00 Put quarter Sec post from which a W. Oak 10 in. diam. bears

T. N. 4 S. R. N. 3 West 2nd Mer.

	<p> 49 E 10 links dist; + a Buck 4 int. diam. bears N59 E 30 links dist; 48.00 a Brook 10 links wide; Course S20 W. 57.50 a Brook 16 " " " S20 E. 68.86 a N Oak 12 int. diam. 80.00 Put post corner of Sec. 14, 15, 22, 23 from which a N. Oak 10 int. diam. bears N30 W 11 links dist; + a Hickory 18 " " " S37 W 13 " " This mile hilly land; inequalities of soil; Timber Oak, Buck, Poplar, Hickory & Hognose. </p>
East	<p> On Random line between Sec. 11. & 14 T. 4. R. 3. N. 80.00 a Brook 6 links wide; Course S. E. 30.00 a Small Drain, " South. 77.00 a Brook 25 links wide; Course " 80.26 Intersected N & S. line 6 links N of post corner of Sec. 11, 12, 13, 14 T. 4. S. R. 3. N. Sand, hilly and stony; middling soil, Timber Oak, Hognose, Buck </p>
	<p> Corrected the line between Sec. 11. & 14 T. 4. R. 3. N. put quarter Sec. from which a N. Oak, 30 int. diam. bears N54 W 47 links dist; Hickory 10 " " " S49 E. 22 " " </p>
East	<p> Between Sec. 12. & 13 T. 4. R. 3. N. 80.06 Intersected Range line 10 links south of post corner of Sec. 12 & 13 T. 4. R. 3. N. Soil, and timber middling as on last mile. </p>
	<p> Corrected the line between Sec. 12. & 13. T. 4. R. 3. N. put half Sec. post from which a N. Oak 4 int. diam. bears N25 W 2 links dist. + a Poplar 6 " " " S6 E. 4 " " </p>
South	<p> Between Sec. 13 & 14 T. 4. R. 3. N. 24.00 a Gum 19 int. diam. </p>

T. N^o 4. LK. N^o 3 N 2nd C. Mev.

- 26.50 a Buck 12 in^d diam^t.
 40.00 Put quarter sec. post from which a Buck 12 in^d diam^t. bears
 S 89 W 13 links dist; & a Sugar tree 10 " " "
 N 42 E 16 " "
 58.72 a W Oak 16 in^d diam^t.
 63.00 a L. Oak 6 links wide; Course N. West
 80.00 Put post corner to Sect 13, 14, 23, 24, T4 LK 3 N
 from which a B. Oak 20 in^d diam^t. bears N 10 E 28 links dist.
 and a L. Oak 22 " " " N 53 E 22 " "
 Rough steep stony hill lands; poor soil, Oak timber.

- East On Random line between Sect 13 & 24. T4 LK 3 N
 72.00 a Brook 10 links wide; Course S. E.
 79.92 Intersected Range line at Post corner of Sect 13 & 24
 T4 LK 3 N. This mile tolerably level, good lands
 timber Oak, Hickory, Poplar &c.

Corrected the line between Sect 13 & 24. T4 LK 3 N
 put half section post where a Buck 10 in^d diam^t. bears
 T4 N 2 links; and a W Oak 18 in^d diam^t. bears N 66 E 15
 links distant.

- West On Random line between Sect 14 & 23. T4 LK 3 N
 11.00 a Brook 40 links wide; Course South; steep poor hill lands
 27.00 Good bottom lands.
 69.50 a Brook 25 links, Course South.
 80.72 Intersected N & S line 6 links N. of post corner to Sect
 14, 15, 22, 23. Steep hills; muddling soil; Timber
 Oak, Hickory, Logwood, Buck &c.

Corrected the line between 14 & 23 T4 LK 3 N. from
 which a Buck 18 in^d diam^t. bears N 86 E. 44 links dist;
 and a L. Oak 16 " " " S 86 W. 3 " "
 Nov. 8. 1804.

- South Between Sect 15 & 16 T4 LK 3 N

T. N. 4. S. R. N. 3 N 2nd. Mer

12.50	A Gum 16 in. diam.
40.10	Set quarter Sec. post, from which a W Oak 10 in. diam. bears N 30 E 14 1/2 m. dist; and a L. 13 " " " " 18 N 19 " " " "
45.28	A W Oak 10 in. diam.
48.75	A Brook 7 1/2 m. wide; Course East.
65.94	A W Oak 18 in. diam.
80.00	Set post corner of Sect. 15, 16, 21, 22 T. 4 R. 3 N. from which an W Oak 24 in. diam. bears N 6 E. 15 1/2 m. dist; and a Hickory 3 in. diam. " N 35 W 15 " " ; This mile very hilly; Soil generally poor; Timber Oak, Hickory, Dogwood &c.
Next	Return Sect. 16, & 21. T. 4 R. 3 N.
71.00	A Brook 20 links wide; Course N 10 W
80.03	Set post cor. of Sect. 16, 17, 20, 21 T. 4 R. 3 N. This mile very hilly; Soil and timber as before.
Next	Return Sect. 17 & 20 T. 4 R. 3 N.
80.30	Intersected line at Post on Indian Boundary. Soil and timber as before.
	Corrected the line between Sect. 17 and 20. T. 4 R. 3 N. Substantially Sec. post where a W Oak 16 in. diam. bears N 7 E 9 links dist; and a L. 10. " " " S 22 E 50 " "
Next	Return Sect. 20 & 21. T. 4 R. 3 N.
7.44	A W Oak 16 in. diam.
10.00	A Brook 20 links wide; Course S 20 W.
23.34	Intersected Indian Boundary line; Set post corner Sect. 20 & 21 T. 4 R. 3 N. where a W Oak 18 in. diam. bears S 9 E. 7 1/2 m. dist; and a L. 12 " " " N 5 W 31 " " Good hill and bottom land Timber Oak, Buck, Dogwood &c.

T. N^o 4 S. R. N^o 3 N. 2nd Mer.

Corrected the line between 16. & 21 T. 4 R. 3 N.
Put half section past where a B. Oak 28 in? diam?
beams 187 N. 10 links dist; and a Buck 12 n n
n N 82 E. 12 n n Nov. 9th 1804.

East Return 15 and 22 T. 4 R. 3 N.

14.50 A Brook 12 links, wide; Course South.

36.00 A Brook 10 n n n n

79.90 Intersected N & S. line at post This mile moderate
ridge good soil, Timber Oak, Hickory, Heywood
&c.

Corrected Return Sect. 15 & 22. T. 4 R. 3 N.

Put half section past from which a W Oak 20 in? diam?
beams 159 E 13 links dist; and a Buck 12 n n
n N 87 W 25 n n

South Return Sect. 22. & 23 T. 4 R. 3 N.

9.04 A Buck 18 in? diam?

40.00 Put quarter sec past where a W Oak 12 in? diam? beams
N 14 E. 24 lks dist; and a Gum 12 n n n
S 31 W 25 n n;

57.84 A W Oak 10 in? diam?

68.00 A Gum 6 links Course S 15 E.

72.21 Intersected Indian Boundary line, a post corner
of Sect. 22. & 23. T. 4 R. 3 N. Where a Gum 16 in?
diam? beams 132 N. 5 links dist; & a Sycamore 10 n
n n N 65 E 7 n n Good mill lands
Timber Oak, Buck, &c.

South Return Sect. 23 & 24 T. 4 R. 3 N.

84.3 A W Oak 16 in? diam?

23.56 A do n n n

34.50 Good Mill lands; Timber Oak, & Buck &c

37.50 A Brook 16 links wide, Course West.

40.00 Put quarter sec past where a Buck 24 in? diam? beams

T^{No} 4 T.R. N^o 3rd Q^{uo}ando Nev.

	South 13 links dist; and a Buck 9 in ² diam ^t . N 28 W 34 links dist;
72.50	a Creek 150 links wide; Course N 60 W.
77.86	a W Oak 14 in ² diam ^t .
80.00	Put post corner of sec ^s 23, 24, 25, 26, T4 R3 N when a Buck 24 in ² diam ^t bears S 25 W 10 links dist; and a L ^o 13 " " " N 36 E. 16 " " " Bottom; timber Buck &c.
South	Return sec ^s 25 & 26 T4 R3 N
8.50	a ledge of Rocks 70 feet perpendicular, Course N.W. and S.E.
17.84	Intersected boundary line; put post cor. of sec ^s 25, 26 T4 R3 N when a Buck 12 in ² diam ^t . bears N 77 W ^{Buck 16 577 E 34 links dist;} 33 links; ^{Very steep rocky point.}
West	Return sec ^s 23 & 26 T4 R3 N.
28.50	a Creek 150 links wide; Course South.
40.00	Put post corner for half sec. when a Buck 10 in ² diam ^t . bears S 8 W 9 links dist; and a L ^o 10 " " " N 8 E. 8 " " " Buck bottom.
56.38	Intersected boundary line, put post corner of sec ^s 23 & 26 T4 R3 N. From which a W Oak 11 in ² diam ^t bears S 19 E 9 links dist; and a Sugar tree 12 " " " N 5 W 27 " " " Buck hill lands Stony &c
East	On a Randon between sec ^s 24 & 25 T4 R3 N
27.00	a Brook 16 links wide, Course N.
48.00	a Creek 130 " " " N.W.
79.88	Intersected Range line 16 links North of post. This mile all bench bottom of good quality.
	Corrected the line between 24 & 25 T4 R3 N put half sec post when a Buck 10 in ² diam ^t bears S 8 W 19 links dist; and a Sugar tree 5 in ² diam ^t bears N 50 E 4 " "

T. N^o 4 S. R. N^o 3 N 2nd Mer.

	31 links dist; and a Buck 16 in ^d diam. bears N 86 E 16 u u
46.96	Intersected Indian boundary line; at Post put post corner of sec. 21. 22. T4 R3 N. where a Buck 10 in ^d diam. bears S 67 E. 32 links dist; and a Q. 16 u u N 61 W 16 u u Middling Soil of hill lands; Timber Oak, Y. Buck &c.
West ^{ly}	On Indian Boundary South boundary of sec. 21. T4 R3
41.91	Put half sec. post where a Dogwood 4 in ^d diam. bears N 86 W 13 links dist; and a Poplar 6 u u u S 31 E. 26 u u
47.00	A Brook 10 links corner South.
79.18	Old mill post;
83.94	To post corner of sec. 20. & 21 T4 R3 W. Middling Soil. Hill lands: Timber Oak &c.
	Continued Westwardly on South Boundary of sec. ²⁰ 21 T4 R3 N.
3.50	A Brook 16 links corner South.
35.50	A Chain 7 u u u
41.91	Put quarter sec. post where a Hickory 12 in ^d diam. bears S 19 E 11 links dist; and a Jack Oak 14 u u u N 69 E 18 u u
84.02	To post corner of sec. 17, 18 and 20 T4 R3 N. High points of hills; Timber Oak, Buck, & Dogw?
	Continued West South Boundary of sec. 18 T4 R3
27.50	A Brook 30 links wide, corner S 20 W.
41.91	Put half sec post where a W Oak 22 in ^d diam. bears N 39 W 29 links dist; and a Q. 20 u u u S 86 E. 16 u u
90.06	To post at the Ends of Range line Between Ranges 3. & 4 where a Poplar 14 in ^d diam. bears S 55 E. 24 links dist; and a B. Walnut 10. in ^d diam. bears N 55 E. 4 links dist; Good Soil of hill land; Timber

T. N^o 4 S. R. N^o 3 W. 2nd Mer.

Oak, Beech, Sugar tree, Dogwood &c.

Surveyed by
Levi Barber &
Elias Rector.

Certify that the foregoing transcript of the field notes
of Township N^o 4 South Range N^o 3 West, 2nd
Mer. Indiana, has been compared with the Original
notes in this Office and found to be correct

Surveyor General's Office,
Cincinnati, Sept. 10. 1839

W. S. Leakes, Surgeon

*

July 18th 1835. Begun at the Cor. of Townships
3 & 4 S. of Range 2 & 3 W. 2nd Mer. Thence

South Between Towns 4 S. Range 2 & 3 W

41.36 quarter section post

81.85 section post

122.44 q^r. Section post

164.00 section post

204.50 quarter section post

245.00 section post

286.35 quarter section post

326.85 section post

367.16 q^r. Sec. post

370.19 South East Corner of the Vincennes Tract

395.00 a Beech 14 in. dia. (a light tree)

480.00 at a post Cor. to Township 4 & 5 South of Range 2 & 3 W.
of the 2nd Meridian, from which

a W. Oak 18 in. dia. bears N 66 E 27 p^{er}. dist. 7

a Do 15 " " " S 34 W 20 " "

Land from the S.E. Corner of the Vincennes tract, Milled,
stony & thin soil timber, Beech, Oak & Hickory

Surveyed by W. Rector D. S.